

**Test Report****No: SHCPCH200605908****Date: Jul 01 2020**

Client name: Human Technologies (Aust) Pty Ltd(HiCare Health)  
Client address: 11/67 Depot Street, Banyo, Queensland, 4014, Australia

Sample name: HiCare 2in1 Antibacterial Disinfectant Wipes 100 Cloth Pack  
Date of manufacture Valid: 20200615  
Period or Batch/Exp.Date:  
Manufacturer: Human Technologies (Aust) Pty Ltd (HiCare Health)  
Buyer: Human Technologies (Aust) Pty Ltd(HiCare Health)

**The above information and samples are provided and confirmed by the customer, and SGS is not responsible for confirming the accuracy, appropriateness and/or completeness of the information provided by the customer.**

SGS job No.: SHCPCH200605908  
SGS reference No.: /  
Date of receipt: Jun 24 2020  
Testing period: Jun 24 2020~ Jul 01 2020

**TEST(S) REQUESTED:**

Selected test(s) as requested by applicant:  
Evaluation of bactericidal activity

**TEST METHOD(S):**

EN 1276-2019 Chemical disinfectants and antiseptics-Quantitative suspension test for the evaluation of bactericidal activity of chemical disinfectants and antiseptics used in food, industrial, domestic, and institutional areas-Test method and requirements (phase 2, step 1)

**TEST RESULT(S):**

Please refer to the next page.

**Remark:** The statement of conformity in this test report is only based on measured values by the laboratory and does not take their uncertainties into consideration.

**Unless otherwise stated, the results shown in this test report apply only to the sample(s) as received, and this document cannot be used for publicity without approval of the Company, not be allowed to copy testing report (except for copy of full text) without written approval.**

Signed for and on behalf of  
SGS-CSTC Standards Technical Services (Shanghai) Co.,Ltd



Authorized Signature Angela Yu



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Test Report

No: SHCPCH200605908

Date: Jul 01 2020

**CONCLUSION:**

According to EN 1276-2019, the submitted sample tested under simulated clean conditions: For strain(s) of *Pseudomonas aeruginosa*, *Escherichia coli*, *Staphylococcus aureus*, *Enterococcus hirae*, the decimal log (lg) reduction in viability are > 5, comply with the requirement of EN 1276-2019 (The decimal log (lg) reduction in viable counts shall demonstrate at least 5 for general purpose disinfection;

**TEST RESULT(S):**

**TEST ORGANISM(S):** *Pseudomonas aeruginosa* ATCC 15442

**Validation and controls**

Validation Suspension (Nv <sub>0</sub> )		Experimental conditions control (A)		Neutralizer or filtration control (B)		Method validation (C)	
$\bar{X}$	94	$\bar{X}$	68	$\bar{X}$	56	$\bar{X}$	65
30 ≤ $\bar{X}$ of Nv <sub>0</sub> ≤ 160? <input checked="" type="checkbox"/> yes <input type="checkbox"/> no		$\bar{X}$ of A is ≥ 0.5x $\bar{X}$ of Nv <sub>0</sub> ? <input checked="" type="checkbox"/> yes <input type="checkbox"/> no		$\bar{X}$ of B is ≥ 0.5x $\bar{X}$ of Nv <sub>0</sub> ? <input checked="" type="checkbox"/> yes <input type="checkbox"/> no		$\bar{X}$ of C is ≥ 0.5x $\bar{X}$ of Nv <sub>0</sub> ? <input checked="" type="checkbox"/> yes <input type="checkbox"/> no	

**Test suspension and Test**

Test-suspension (N and N <sub>0</sub> ):	lgN	lgN <sub>0</sub>
	8.30	7.30
	7.17 ≤ lg N <sub>0</sub> ≤ 7.70? <input checked="" type="checkbox"/> yes <input type="checkbox"/> no	

Contact time (min)	Lg Na	Lg R
1min	<2.15	>5.15

**TEST ORGANISM(S):** *Escherichia coli* ATCC 10536

**Validation and controls**

Validation Suspension (Nv <sub>0</sub> )		Experimental conditions control (A)		Neutralizer or filtration control (B)		Method validation (C)	
$\bar{X}$	87	$\bar{X}$	76	$\bar{X}$	69	$\bar{X}$	67
30 ≤ $\bar{X}$ of Nv <sub>0</sub> ≤ 160? <input checked="" type="checkbox"/> yes <input type="checkbox"/> no		$\bar{X}$ of A is ≥ 0.5x $\bar{X}$ of Nv <sub>0</sub> ? <input checked="" type="checkbox"/> yes <input type="checkbox"/> no		$\bar{X}$ of B is ≥ 0.5x $\bar{X}$ of Nv <sub>0</sub> ? <input checked="" type="checkbox"/> yes <input type="checkbox"/> no		$\bar{X}$ of C is ≥ 0.5x $\bar{X}$ of Nv <sub>0</sub> ? <input checked="" type="checkbox"/> yes <input type="checkbox"/> no	

**Test suspension and Test**

Test-suspension (N and N <sub>0</sub> ):	lgN	lgN <sub>0</sub>
	8.41	7.41



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Test Report

No: SHCPCH200605908

Date: Jul 01 2020

	7.17 ≤ lg N <sub>0</sub> ≤ 7.70? <input checked="" type="checkbox"/> yes <input type="checkbox"/> no
--	--

Contact time (min)	<b>Lg Na</b>	<b>Lg R</b>
1min	<2.15	>5.26

TEST ORGANISM(S): *Staphylococcus aureus* ATCC 6538

Validation and controls

Validation Suspension (Nv <sub>0</sub> )		Experimental conditions control (A)		Neutralizer or filtration control (B)		Method validation (C)	
$\bar{X}$	74	$\bar{X}$	63	$\bar{X}$	61	$\bar{X}$	61
30 ≤ $\bar{X}$ of Nv <sub>0</sub> ≤ 160? <input checked="" type="checkbox"/> yes <input type="checkbox"/> no		$\bar{X}$ of A is ≥ 0.5x $\bar{X}$ of Nv <sub>0</sub> ? <input checked="" type="checkbox"/> yes <input type="checkbox"/> no		$\bar{X}$ of B is ≥ 0.5x $\bar{X}$ of Nv <sub>0</sub> ? <input checked="" type="checkbox"/> yes <input type="checkbox"/> no		$\bar{X}$ of C is ≥ 0.5x $\bar{X}$ of Nv <sub>0</sub> ? <input checked="" type="checkbox"/> yes <input type="checkbox"/> no	

Test suspension and Test

<b>Test-suspension (N and N<sub>0</sub>):</b>	lgN	lgN <sub>0</sub>
	8.28	7.28
	7.17 ≤ lg N <sub>0</sub> ≤ 7.70? <input checked="" type="checkbox"/> yes <input type="checkbox"/> no	

Contact time (min)	<b>Lg Na</b>	<b>Lg R</b>
1min	<2.15	>5.13

TEST ORGANISM(S): *Enterococcus hirae* ATCC 10541.

Validation and controls

Validation Suspension (Nv <sub>0</sub> )		Experimental conditions control (A)		Neutralizer or filtration control (B)		Method validation (C)	
$\bar{X}$	81	$\bar{X}$	72	$\bar{X}$	74	$\bar{X}$	68
30 ≤ $\bar{X}$ of Nv <sub>0</sub> ≤ 160? <input checked="" type="checkbox"/> yes <input type="checkbox"/> no		$\bar{X}$ of A is ≥ 0.5x $\bar{X}$ of Nv <sub>0</sub> ? <input checked="" type="checkbox"/> yes <input type="checkbox"/> no		$\bar{X}$ of B is ≥ 0.5x $\bar{X}$ of Nv <sub>0</sub> ? <input checked="" type="checkbox"/> yes <input type="checkbox"/> no		$\bar{X}$ of C is ≥ 0.5x $\bar{X}$ of Nv <sub>0</sub> ? <input checked="" type="checkbox"/> yes <input type="checkbox"/> no	

Test suspension and Test

<b>Test-suspension (N and N<sub>0</sub>):</b>	lgN	lgN <sub>0</sub>
	8.30	7.30
	7.17 ≤ lg N <sub>0</sub> ≤ 7.70? <input checked="" type="checkbox"/> yes <input type="checkbox"/> no	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Test Report

No: SHCPCH200605908

Date: Jul 01 2020

Contact time (min)	Lg Na	Lg R
1min	<2.15	>5.15

**Remark:**

**1. Experimental conditions**

Product test concentrations: 80%

Contact time: 1min

Test temperature: 20°C ± 1°C

incubation temperature: 37°C ± 1°C

Interfering substance: 0.3g/l of bovine albumin=clean condition

Stability and appearance of the mixture during the procedure: test mixture were homogeneous

Membrane filtration method, rising liquid: sterile water

**2.Explanation:**

N: Number of survivors per ml in the test suspensions

N<sub>0</sub>: Number of survivors per ml in the test mixtures at the beginning of the contact time (time =0)

Na: Number of survivors per ml in the test mixtures at the end of the contact time

R = reduction (lg R= lg N<sub>0</sub> – lg Na)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Test Report

No: SHCPCH200605908

Date: Jul 01 2020

Sample Description: Sample in bag



In the territory of the People's Republic of China, the test report shall only be used for client scientific research, teaching, internal quality control, product research and development, etc... and just for client internal reference.

\*\*\* End of Report\*\*\*



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)